



## Department of Justice

WorkSafe Tasmania

PO Box 56, Rosny Park, TAS 7018

Phone: (in Tasmania) 1300 366 322; (outside Tasmania) - 03 6166 4600

Email: [wst.licensing@justice.tas.gov.au](mailto:wst.licensing@justice.tas.gov.au) Website [www.worksafe.tas.gov.au](http://www.worksafe.tas.gov.au)



Tasmanian  
Government

Service Tasmania Office Use Only  
Product Code WSA 1B

# APPLICATION FOR PYROTECHNICIAN PERMIT

## Applicant Details

Corporation Name	Email (where permit will be sent)	Phone
Postal Address	Suburb	Postcode
Responsible Adult	Phone	Alternative Responsible Adult
		Phone

## SSDS Permit Details/Pyrotechnician Name

SSDS Permit Holder Name	SSDS Permit Number	Expiry Date
Nominated Pyrotechnician Name	Shot-Firer Permit Number	Expiry Date
		Phone

## Display Details

Type 2

Type 3

A school or community fair

New Year's Eve celebration

A military tattoo

Finale to a major agricultural show, sporting or recreational event

Traditional cultural occasion (e.g Chinese New Year)

The opening or anniversary of a major commercial enterprise

'Cracker Night' 24 May (if falls on a Saturday, if not the following Saturday)

The testing/classification of fireworks, or related purposes, typically by manufacturer/supplier

Celebration of a major anniversary or milestone like Australia Day, Tasmania Day or a city centenary

The performance of an artistic work (*like Handel's Music for the Royal Fireworks*);

Event Name

Displays must not commence before 6pm or continue after 10pm - maximum 30 minutes (Except New Years Eve displays)

Date of Display	Start Time	End Time	Council
Display Address	Suburb	Postcode	

## Landowners Consent

As the applicant are you the Land Owner? Yes No If 'No', the landowner must complete the following  
I, Owner of the site/plot at the display location, hereby consent to the proposed fireworks display being conducted

Land Owners Name

Signed

Date

## Site Plan

Must include the following:

- Property Size (Hectares)
- Firing locations
- Clearance distances
- Location of spectators/segregation, physical barriers and car parking area
- All adjacent roads, buildings and possible dangerous goods storages within 200 metres
- Above ground infrastructure such as: power and communication poles and lines
- Combustible/flammable material

(Please ensure information and plan is accurate and legible)

## SSDS Display Requirements - The following information must be provided & supplied

- Secure storage prior to the display (if applicable)
- Transport Vehicle compliance with AE Code
- In – Transit storage (if applicable)
- indicate Max NEQ Transported
- kg
- List all pyrotechnic items to be used in the display, including size of aerial shells
- Display conducted in accordance with Safety Management System (SMS) as submitted to WorkSafe Tasmania
- Specific and additional 'site safety' management needs addressed by applicant. i.e. logistics and planning involved in the preparation, transportation and storage to conduct this display. (Please provide details below).

Notes

### Surrounds

- |  |     |    |
|--|-----|----|
| Is the display within 5 kilometers of native animals in a sanctuary or conservation area | Yes | No |
| Is the display within 1 kilometre of horses, cattle or an animal kennel?                 | Yes | No |
| Is the display within 1 kilometre of a State forest?                                     | Yes | No |

### Authorisations

Civil Aviation Safety Authority (CASA - [www.casa.gov.au](http://www.casa.gov.au)) has been notified where fireworks:

- |  |     |    |
|--|-----|----|
| <ul style="list-style-type: none"> <li>• could attain heights greater than 122m, or</li> <li>• will be launched within 5.6km of an aerodrome, or</li> <li>• the display of lights could endanger the safety of aircraft</li> </ul> | Yes | NA |
|--|-----|----|

Marine and Safety Tasmania (MAST - 1300 135 513) has been notified where the display site is located on the water or sea shore and involves aerials/rockets?	Yes	NA
--	-----	----

Has approval been obtained from any school, hospital, aged care home or church within 500 meters of the display site?	Yes	NA
---	-----	----

### Fire Fighting Equipment

List resources in box section

### Declaration by applicant

I, hereby state and agree:

- that I have read the conditions for the issue of a Type 3 Fireworks Display permit;
- to be bound by the conditions specified in this application relating to setting up and holding a fireworks display,
- to any conditions that may be included in the Fireworks Display Permit
- that this application is made under the *Explosives Regulations 2022*.
- that the purchase, storage and use of Type 3 Fireworks may only be conducted under the authority of a Security-sensitive Dangerous Substance (SSDS) permit issued by Worksafe Tasmania.
- that the information I have detailed in this application, to the best of my ability, is true and correct in relation to the proposed fireworks display.

Applicant Responsible Adult Name

Signed

Date

## How to complete and lodge this application



- Complete all details required in Part 1
- Read carefully and retain the 'Conditions for Fireworks Displays'
- Submit application no less than 21 days prior to display date
- Submit Post Display Notification no less than 7 days after display
- This application must only specify one date for the display (Once permit has been issued, in the case of unsuitable/unsafe weather conditions please notify WST within 5 days for alternative dates to be considered)
- Pay prescribed fee

Email application to [wst.licensing@justice.tas.gov.au](mailto:wst.licensing@justice.tas.gov.au) or post to PO Box 56, Rosny Park TAS 7018

You can also submit at any Service Tasmania Outlet

### Please Note:

Only pyrotechnicians may purchase or acquire type 3 fireworks under the authority of an SSDS permit.

You cannot conduct a Type 3 fireworks display unless you have received a fireworks display permit from WorkSafe Tasmania

## Type 3 Firework Displays – Guide for Minimum Clearance Distances

### Spectator Clearance Distances


Spectators must be outside exclusion zone

Aerial shell size	Distance
up to 100mm	100 metres
125mm	125 metres
150mm	150 metres

### Distance required to Protected Works

- 50 metres - all fireworks
- 100 metres - > 75 aerial shells

Perimeter of exclusion zone



Spectator viewing area must be clearly marked and controlled/secured

## TYPE 3 FIREWORKS POST DISPLAY NOTIFICATION

SSDS Permit Holder Name		SSDS Permit Number	Phone
Display Location		Display Suburb	Postcode
Time of arrival on site	Display set up time completed	Display Start Time	Display Finish Time
Name of Shot-firer		Names of persons assisting in display	
Weather Conditions		Estimated Crowd Number	Crowd Behaviour
Complaints			
Incidents			
Malfunctions			
Comments on Display			
List of fireworks used in display (attach sheet if insufficient space)			
Display Conducted as per application		Yes	No
if No explain variation			

This form must be submitted to WST within 7 days after the display, irrespective of whether an 'incident' occurs or not